AMENDMENTS

In the Claims

Current Claims

1

2

3

4

5

6

7

8

1

2

3

4

5

6

7

8

9

10

1.(currently amended) An apparatus for simulating a pulse and correlated heart beat of an animal <u>including an human</u>, the apparatus comprising a playback device for generating a first electronic signal corresponding to a pulse and a second electronic signal corresponding to a correlated heart beat, a tactile pulse simulator for receiving the first electronic signal and generating pressure pulses simulating an arterial pulse discernible by touch and an audio simulator for receiving the correlated heart beat signal and recreating the heart beat to be heard through a stethoscope <u>and</u> where the first and second electronic signals are generated from recordings of living animals <u>including humans</u>.

2.(currently amended) An apparatus for simulating a right side pulse and a left side pulse and correlated heart beat of an animal including an human, the apparatus comprising a playback device for generating a first electronic signal corresponding to the right side pulse, a second electronic signal corresponding to the left side pulse and a third electronic signal corresponding to a correlated heart beat, a first tactile pulse simulator for receiving the first electronic signal and generating pressure pulses simulating a right side arterial pulse discernible by touch, a second tactile pulse simulator for receiving the second electronic signal and generating pressure pulses simulating a left side arterial pulse discernible by touch and an audio simulator for receiving the correlated heart beat signal and recreating the heart beat to be heard through a stethoscope and where the first and second electronic signals are generated from recordings of living animals including humans.

- 3.(canceled)
- 4.(canceled)
- 5.(canceled)
- 6.(canceled)
- 7.(canceled)
- 1 8.(previously presented) The apparatus of claim 1, wherein the tactile pulse simulator
- 2 comprises a tactile switch capable of generating pulses simulating the arterial pulse, collapsible tube
- 3 apparatus or piezoelectric transducer.

1	9.(previously presented)	The apparatus of claim 1, wherein the tactile pulse simulator and the
2 audio simulator are housed within		nin a housing.
1	10.(previously presented)	
2	comprises a resilient cover covering a tactile switch capable of generating pulses simulating the	
3	arterial pulse.	
	11.(canceled) 12.(canceled) 13.(canceled)	
1	14.(previously presented)	The apparatus of claim 1, wherein the tactile pulse simulator is within
2	in a first housing and the aud	io simulator is within a second housing.
1	15.(currently amended)	The apparatus of claim 14, wherein the first housing simulates a
2	human wrist and the tactile pulse simulator comprises a resilient cover covering a tactile switch	
3	capable of generating pulses simulating the arterial pulse and is located at a position in the wrist	
4	corresponding to a position in a patient where the arterial pulse is adapted to be detected and	
5	monitored by a medical professional.	
1	16 (proviously presented)	The apparatus of claim 2 wherein the testile nulse simulators
2	, _ ,	The apparatus of claim 2, wherein the tactile pulse simulators
3	comprise tactile switches capable of generating pulses simulating the arterial pulse, collapsible tube apparatuses or piezoelectric transducers.	
	17.(canceled) 18.(canceled) 19.(canceled)	
	20.(canceled)	
	21.(canceled) 22.(canceled)	
	23.(canceled)	
	24.(canceled)	
1	25.(currently amended)	An apparatus for simulating a right side pulse and a left side pulse and
2	correlated heart beat of a human, the apparatus comprising:	

a playback device for generating a first electronic signal corresponding to the right side		
pulse, a second electronic signal corresponding to the left side pulse and a third electronic signal		
corresponding to a correlated heart beat;		
a first housing including a first tactile pulse simulator for receiving the right side arterial		
pulse signal and generating a pressure pulses corresponding to a right arm arterial pulse discernible		
by touch;		
a second housing including a second tactile pulse simulator for receiving the left side arterial		
pulse signal and generating a pressure pulses corresponding to a left arm arterial pulse discernible		
by touch; and		
a third housing including an audio simulator for receiving the heart beat signal and		
generating an audible recreation of the correlated heart beat and designed to be heard through a		
stethoscope position on a surface of the housing.		
where the first and second electronic signals are generated from recordings of living animals		
including humans.		
26.(previously presented) The apparatus of claim 25, wherein the tactile pulse simulators		
comprise tactile switches capable of generating pulses simulating the arterial pulses, collapsible tube		
apparatuses or piezoelectric transducers.		
27.(previously presented) The apparatus of claim 25, wherein the tactile pulse simulators		
comprise a resilient cover covering a tactile switch capable of generating pulses simulating the		
arterial pulse.		